Ink by Designtex

HPD UNIQUE IDENTIFIER: 30510 CLASSIFICATION: 12 05 13 Fabrics PRODUCT DESCRIPTION: Upholstery Fabric

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting				
Format				
C Nested Materials Method				

Basic Method

Threshold Disclosed Per

C Material

O Product

Threshold Level O 100 ppm O 1,000 ppm O Per GHS SDS O Other Residuals/Impurities Evaluation © Completed © Partially Completed © Not Completed

Explanation(s) provided : • Yes O No

Health Product Declaration v2.3 created via: HPDC Online Builder

Basic Method / Product Threshold

For all contents above the threshold, the manufacturer has:				
Characterized	O Yes O No			
Provided weight and role.				
Screened	⊙ Yes ⊖ No			
Provided screening results using HPDC-appr	oved			
methods.				
Identified	O Yes O No			
Provided name and CAS RN or other identified	er.			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

INK [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK NYLON 6 LT-UNK STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK PERFLUORINATED ALKYL SUBSTANCES (PFAS), SHORT-CHAIN LT-UNK

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Recycled Polyester may contain antimony as a catalyst.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-05-14
⊙ Yes	VERIFIER:	PUBLISHED DATE: 2022-11-02
© No	VERIFICATION #:	EXPIRY DATE: 2024-05-14

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

RODUCT THRESHOLD: 10	000 ppm RESIDUALS AND	IMPURITIES E	EVALUATION CON	IPLETED: Yes
ESIDUALS AND IMPURITI	ES NOTES: Polyester may contain antimon	iy as a catalys	t. No known resid	uals or impurities.
THER PRODUCT NOTES:	This product does not contain flame retard	lants.		
POLYETHYLENE TEREPH	ITHALATE (PET)			ID: 25038-59-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-05-14 14:07:27
%: 83.0000 - 83.0000	GreenScreen: LT-UNK	RC: PostC	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
76 % virgin polyester	% post-consumer recycled polyester.			ID: 25038-54
76 % virgin polyester	% post-consumer recycled polyester. Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	
76 % virgin polyester		HAZARD SC RC: None		2021-05-14 14:07:27
76 % virgin polyester NYLON 6 HAZARD DATA SOURCE:	Pharos Chemical and Materials Library			2021-05-14 14:07:27
76 % virgin polyester NYLON 6 HAZARD DATA SOURCE: %: 17.0000 - 17.0000	Pharos Chemical and Materials Library GreenScreen: LT-UNK		NANO: No WARNINGS	2021-05-14 14:07:27 SUBSTANCE ROLE: Textile component
76 % virgin polyester NYLON 6 HAZARD DATA SOURCE: %: 17.0000 - 17.0000 HAZARD TYPE	Pharos Chemical and Materials Library GreenScreen: LT-UNK		NANO: No WARNINGS	2021-05-14 14:07:27 SUBSTANCE ROLE: Textile component
76 % virgin polyester NYLON 6 HAZARD DATA SOURCE: %: 17.0000 - 17.0000 HAZARD TYPE None found	Pharos Chemical and Materials Library GreenScreen: LT-UNK AGENCY AND LIST TITLES		NANO: No WARNINGS No warn	2021-05-14 14:07:27 SUBSTANCE ROLE: Textile component
76 % virgin polyester NYLON 6 HAZARD DATA SOURCE: %: 17.0000 - 17.0000 HAZARD TYPE None found ADDITIONAL LISTINGS	Pharos Chemical and Materials Library GreenScreen: LT-UNK AGENCY AND LIST TITLES AGENCY		NANO: No WARNINGS No warn	2021-05-14 14:07:27 SUBSTANCE ROLE: Textile component
76 % virgin polyester NYLON 6 HAZARD DATA SOURCE: %: 17.0000 - 17.0000 HAZARD TYPE None found ADDITIONAL LISTINGS None found	Pharos Chemical and Materials Library GreenScreen: LT-UNK AGENCY AND LIST TITLES AGENCY		NANO: No WARNINGS No warn	2021-05-14 14:07:27 SUBSTANCE ROLE: Textile component
76 % virgin polyester NYLON 6 HAZARD DATA SOURCE: %: 17.0000 - 17.0000 HAZARD TYPE None found ADDITIONAL LISTINGS None found SUBSTANCE NOTES: So	Pharos Chemical and Materials Library GreenScreen: LT-UNK AGENCY AND LIST TITLES AGENCY Dution-dyed Nylon Yarn UBBER (BENZENE, ETHENYL-,		NANO: No WARNINGS No warn	ID: 25038-54- 2021-05-14 14:07:27 SUBSTANCE ROLE: Textile component hings found on HPD Priority Hazard Lists listings found on Additional Hazard Lists

	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure compone	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No w	rarnings found on HPD Priority Hazard List	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATIO	N	
None found			I	No listings found on Additional Hazard List	
SUBSTANCE NOTES: Acrylic backing for dimensional stability					
SUBSTANCE NOTES: Acr	ylic backing for dimensional stability				
PERFLUORINATED ALKYL	ylic backing for dimensional stability - SUBSTANCES (PFAS), SHORT-CHAIN Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT		
PERFLUORINATED ALKYL	- SUBSTANCES (PFAS), SHORT-CHAIN	HAZARD SC RC: None	CREENING DAT NANO: N G		
PERFLUORINATED ALKYL	- SUBSTANCES (PFAS), SHORT-CHAIN Pharos Chemical and Materials Library			E: 2021-05-14 14:07:28	
PERFLUORINATED ALKYL HAZARD DATA SOURCE: %: 0.5000 - 0.5000	- SUBSTANCES (PFAS), SHORT-CHAIN Pharos Chemical and Materials Library GreenScreen: LT-UNK		NANO: No	E: 2021-05-14 14:07:28 SUBSTANCE ROLE: Antistain	
PERFLUORINATED ALKYL HAZARD DATA SOURCE: %: 0.5000 - 0.5000 HAZARD TYPE	- SUBSTANCES (PFAS), SHORT-CHAIN Pharos Chemical and Materials Library GreenScreen: LT-UNK		NANO: No	E: 2021-05-14 14:07:28 SUBSTANCE ROLE: Antistain varnings found on HPD Priority Hazard List	

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-05-14	CERTIFIER OR LAB: Self declared
APPLICABLE FACILITIES: Indoor facilities	EXPIRY DATE:	
CERTIFICATE URL:		

CERTIFICATION AND COMPLIANCE NOTES: No VOC emissions

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Solution-dyed Nylon and Polyester yarns woven upholstery.

MANUFACTURER INFORMATION

MANUFACTURER: Designtex ADDRESS: 357 County Avenue Secaucus NJ 07094, United States WEBSITE: www.designtex.com CONTACT NAME: Adity Phadnis TITLE: Analyst, Product Compliance PHONE: 201-917-7743 EMAIL: Aphadnis@designtex.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.