Flammability Certificate 3909 Sail

Designtex

3909 Sail was tested and met the following flammability requirements:

CA TB 117-2013



Quality Assurance & Compliance Testing Utilizing Textile & Related Technologies

19 West 36th Street, 10th Floor New York, NY 10018 Tel: 212 947 8391 Fax: 212 947 8719

www.vartest.com

ISO/ICC 17025 Third Party Test Report

DATE:

July 8, 2021

FILE: DESTEX.A070221A

CLIENT:

Design Tex Inc.

ATTN: Teesha Prezeau

200 Varick Street, 8th Floor

New York, NY 10014

SAMPLE IDENTIFIED BY CLIENT AS:

Fabric Submitted

Style #: 3909 901, Sail Colorwheel

Lot # 1006732-93305

Color Multi (White, Blue, Tan, Grey)

TEST PROCEDURE:

TEST RESULTS:

CALIFORNIA TECHNICAL BULLETIN 117-2013 SECTION 1 COVER FABRIC TEST

CHAR LENGTH (mm)

Specimen #1: 9
Specimen #2: 9
Specimen #3: 10

- a) The mock-up test specimen continues to smolder after the 45-minute test duration: \mathbf{NO}
- b) A char develops more than 1.8 inches (45 mm) in any direction from the cigarette
- on the cover fabric measured from its nearest point: NO
- c) The mock-up test specimen transitions to open flaming: NO

RESULTS: Pass

A material is considered to pass or fail based on the following criteria:

- 1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
- a) The mock-up test specimen continues to smolder after the 45-minute test duration.
- b) A char develops more than 1.8 inches (45 mm) in any direction from the cigarette on the cover fabric measured from its nearest point.
- c) The mock-up test specimen transitions to open flaming.





Quality Assurance & Compliance Testing Utilizing Textile & Related Technologies

19 West 36th Street, 10th Floor New York, NY 10018 Tel: 212 947 8391 Fax: 212 947 8719

www.vartest.com

ISO/ICC 17025 Third Party Test Report

FILE: DESTEX.A070221A

SAMPLE IDENTIFIED BY CLIENT AS:

Fabric Submitted Style #: 3909 901 / Sail Colorwheel Lot # 1006732-93305 Color Multi (White, Blue, Tan, Grey)

- 2. The cover fabric passes the test if three initial mock-up specimens pass the test, i.e., the cigarettes burn their full length and the mock-ups are no longer smoldering.
- 3. If more than one initial specimen fails, the cover fabric fails the test.
- 4. If any one of the three initial specimens fails, repeat the test on an additional three specimens.
- 5. If all three additional specimens pass the test, the cover fabric passes the test.

If any one of the three additional specimens fails, the cover fabric fails the test.

RTES Sendualed Souter & Evaluated St.

Signed For The Company By

Joseph Llin

Laboratory Manager

Sested & Evaluated

Sested & Evaluated

Control

Stacy Sadowy

Quality Assurance Manager

CS/07