

7783 Sora
by Designtex

HPD UNIQUE IDENTIFIER: 60538019
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 72 00 Wall Coverings
PRODUCT TYPE: Abuse-Resistant Sheet Wall Covering (Wall Protection)
PRODUCT DESCRIPTION: Sora is a cellulose-based wallcovering material

SCREENING DATE: 2026-09-01
PUBLISHED DATE: 2026-09-01
EXPIRY DATE: 2029-09-01
PREPARER: Self-Prepared

Health Product
Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
→ Basic Method

Threshold Disclosed Per
→ Product

Threshold Level
→ 1,000 ppm

Residuals/Impurities Evaluation
→ Completed

Explanation(s) provided :
Yes

For all contents above the threshold, the manufacturer has:

Characterized	Yes
Provided weight and role.	
Screened	Yes
Provided screening results using HPDC-approved methods.	
Identified	Yes
Provided name and CAS RN or other identifier.	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

7783 SORA [CELLULOSE POLYDIMETHYL SILOXANE (POLYDIMETHYL SILOXANE) BM-2

POLYESTER (POLYESTER) NoGS

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

Special Conditions applied: [BiologicalMaterial]

Fully Screened and Identified

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - + Formaldehyde Free

Biobased content: ASTM D6866-22 Standard for Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Pre-checked for LEED v5 Human Health 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

7783 SORA

PRODUCT THRESHOLD: 1000 ppmRESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities identified

OTHER PRODUCT NOTES: DNA is free of PVC and Phthalates.

CELLULOSEID: Biological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 50.0000 - 50.0000GreenScreen: Not RequiredRC: NoneNANO: NoMATERIAL ROLE: Biological material

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		
BIOLOGICAL MATERIALS CATEGORY: Tree-based materials		
INGREDIENT DESCRIPTION: Wood pulp		
MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.		

POLYDIMETHYL SILOXANE (POLYDIMETHYL SILOXANE)ID: 9016-00-6

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2026-09-01 10:59:43

%: 40.0000 - 40.0000GreenScreen: BM-2RC: NoneNANO: NoSUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Substance is a binder		

POLYESTER (POLYESTER)ID: 113669-95-7

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2026-09-01 10:59:43

%: 10.0000 - 10.0000GreenScreen: NoGSRC: NoneNANO: NoSUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyester fiber as part of the wallcovering composite



Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - + Formaldehyde Free	
COMPLIANCE TYPE: Third Party	ISSUE DATE: 2024-10-08	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: All		
COMPLIANCE URL:		
COMPLIANCE NOTES:		

BIOBASED CONTENT	ASTM D6866-22 Standard for Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis	
COMPLIANCE TYPE: Third Party	ISSUE DATE: 2025-04-07	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UGA Biobase Lab		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: All		
COMPLIANCE URL:		
COMPLIANCE NOTES:		



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Sora is a digitally printed PVC-free wallcovering



MANUFACTURER INFORMATION

MANUFACTURER: **Designtex**
ADDRESS: **Hudson Street**
9th Floor
Manhattan, New York County 10013
COUNTRY: **New York**
LATITUDE: **-74.0078000**
LONGITUDE: **40.7230000**

WEBSITE: **www.designtex.com**
CONTACT NAME: **Owen Lasko**
TITLE: **Sustainability Programs Specialist**
PHONE: **(212) 886-8100**
EMAIL: **info@designtex.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types		
AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	
GreenScreen (GS)		
BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)	
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)	
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown	
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.	
BM-U Benchmark Unspecified (due to insufficient data)		

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types
PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:
Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

PROGRAM PRECHECKS

WASHINGTON BUY CLEAN AND BUY FAIR

REQUIRED ALIGNMENT
NOT ALIGNED

PRECHECK CRITERIA RESULTS

MANUFACTURING LOCATION (REQUIRED)
FAIL

THE RECORD VALUE (NO) DOES NOT MEET THE REQUIRED (HAS MANUFACTURING LOCATION) EXPECTATION.

CRADLE TO CRADLE CERTIFIED® V4.1

REQUIRED ALIGNMENT
NOT ALIGNED

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

INVENTORY TYPE (REQUIRED)

FAIL

THE RECORD VALUE (BASIC) DOES NOT MEET THE REQUIRED (NESTED) EXPECTATION.

MINIMUM THRESHOLD (REQUIRED)

FAIL

THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.

SCREENED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

THRESHOLD DISCLOSURE (REQUIRED)

FAIL

THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE REQUIRED (MATERIAL) EXPECTATION.

CRADLE TO CRADLE CERTIFIED® V5.0

REQUIRED ALIGNMENT

NOT ALIGNED

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

INVENTORY TYPE (REQUIRED)

FAIL

THE RECORD VALUE (BASIC) DOES NOT MEET THE REQUIRED (NESTED) EXPECTATION.

MINIMUM THRESHOLD (REQUIRED)

FAIL

THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.

SCREENED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

THRESHOLD DISCLOSURE (REQUIRED)

FAIL

THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE REQUIRED (MATERIAL) EXPECTATION.

PERKINS&WILL'S TRANSPARENCY INITIATIVE

REQUIRED ALIGNMENT

NOT ALIGNED

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

IDENTIFIED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

MINIMUM THRESHOLD (REQUIRED)

FAIL

THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.

SCREENED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

RESET

REQUIRED ALIGNMENT

ALIGNED

PREFERRED ALIGNMENT

NOT ALIGNED

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	CHARACTERIZED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.
MINIMUM THRESHOLD (PREFERRED) FAIL THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE PREFERRED (PRODUCT - 100 PPM) EXPECTATION.	
SCREENED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	SCREENED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.

BORA'S CHEMICALS OF CONCERN

REQUIRED ALIGNMENT ALIGNED	PREFERRED ALIGNMENT NOT ALIGNED
PRECHECK CRITERIA RESULTS	
CHARACTERIZED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	CHARACTERIZED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.
IDENTIFIED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.	
MINIMUM THRESHOLD (REQUIRED) PASS THE RECORD VALUE (PRODUCT - 1,000 PPM) MEETS OR EXCEEDS THE REQUIRED (PRODUCT - 1,000 PPM) EXPECTATION.	MINIMUM THRESHOLD (PREFERRED) FAIL THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE PREFERRED (PRODUCT - 100 PPM) EXPECTATION.
SCREENED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	SCREENED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.

GREEN SEAL'S GS-11 STANDARD FOR PAINTS, COATINGS, STAINS, AND SEALERS

REQUIRED ALIGNMENT NOT APPLICABLE
PRECHECK CRITERIA RESULTS
CHARACTERIZED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.
CLASSIFICATION (REQUIRED) N/A THIS PRECHECK DOES NOT APPLY TO THIS RECORD BECAUSE THE CSI MASTERFORMAT NUMBER ASSOCIATED WITH IT FALLS OUTSIDE THE SCOPE OF THE REQUIREMENTS FOR THIS PRECHECK.
IDENTIFIED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.
MINIMUM THRESHOLD (REQUIRED) FAIL THE RECORD VALUE (PRODUCT - 1,000 PPM) DOES NOT MEET THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.
SCREENED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

