

7885 Abode
by Designtex

HPD UNIQUE IDENTIFIER: 14823118
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 12 05 13 Fabrics
PRODUCT TYPE: Upholstery
PRODUCT DESCRIPTION: Abode is a recycled olefin and acrylic upholstery fabric for contract usage. It has an EPD.

SCREENING DATE: 2026-08-28
PUBLISHED DATE: 2026-09-01
EXPIRY DATE: 2029-08-28
PREPARER: Self-Prepared

Health Product
Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Not Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role.
Threshold Level		Screened
→ 100 ppm		Provided screening results using HPDC-approved methods.
		Identified
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
7885 ABODE [POLYPROPYLENE LT-UNK POLYACRYLONITRILE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:
Special Conditions applied: [GeologicalMaterial]

Fully inventoried and screened

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: SCS Indoor Advantage Gold - + Formaldehyde Free

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.
Pre-checked for LEED v5 Human Health 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

7885 ABODE

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not fully evaluated	
OTHER PRODUCT NOTES:	

POLYPROPYLENEID: 9003-07-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-09-01 10:44:08	
%: 51.0000 - 51.0000				
GreenScreen: LT-UNK		RC: PreC	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The olefin fiber is preconsumer recycled in the facility				

POLYACRYLONITRILEID: 25014-41-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-09-01 10:42:01	
%: 47.0000 - 47.0000				
GreenScreen: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

POLYETHYLENE TEREPHTHALATE (PET)ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-09-01 10:42:55	
%: 2.0000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Bisphenols and Phthalates
SUBSTANCE NOTES:		

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - + Formaldehyde Free	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2025-10-08	EXPIRY DATE: 2026-10-08
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: All		
COMPLIANCE URL:		
https://resources.designtex.com/Documents/Product-Detail-Pages/One-To-Many/SCS-Indoor-Advantage-Gold-Uph-Multi.pdf		
COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Abode is a recycled olefin and acrylic upholstery fabric for contract use. It has an EPD.

MANUFACTURER INFORMATION

MANUFACTURER: **Designtex**
ADDRESS: **200 Hudson st**
9th Floor
New York, NY 10013
COUNTRY: **United States**

WEBSITE: **designtex.com**
CONTACT NAME: **Owen Lasko**
TITLE: **Sustainability Programs Specialist**
PHONE: **(212) 886-8100**
EMAIL: **info@designtex.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY**Hazard Types**

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming

LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

PROGRAM PRECHECKS**WASHINGTON BUY CLEAN AND BUY FAIR**

REQUIRED ALIGNMENT
ALIGNED

PRECHECK CRITERIA RESULTS

MANUFACTURING LOCATION (REQUIRED)
PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (HAS MANUFACTURING LOCATION) EXPECTATION.

CRADLE TO CRADLE CERTIFIED® V4.1

REQUIRED ALIGNMENT
NOT ALIGNED

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED)
PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

INVENTORY TYPE (REQUIRED)

FAIL

THE RECORD VALUE (BASIC) DOES NOT MEET THE REQUIRED (NESTED) EXPECTATION.

MINIMUM THRESHOLD (REQUIRED)

PASS

THE RECORD VALUE (PRODUCT - 100 PPM) MEETS OR EXCEEDS THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.

SCREENED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

THRESHOLD DISCLOSURE (REQUIRED)

FAIL

THE RECORD VALUE (PRODUCT - 100 PPM) DOES NOT MEET THE REQUIRED (MATERIAL) EXPECTATION.

CRADLE TO CRADLE CERTIFIED® V5.0

REQUIRED ALIGNMENT

NOT ALIGNED

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

INVENTORY TYPE (REQUIRED)

FAIL

THE RECORD VALUE (BASIC) DOES NOT MEET THE REQUIRED (NESTED) EXPECTATION.

MINIMUM THRESHOLD (REQUIRED)

PASS

THE RECORD VALUE (PRODUCT - 100 PPM) MEETS OR EXCEEDS THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.

SCREENED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

THRESHOLD DISCLOSURE (REQUIRED)

FAIL

THE RECORD VALUE (PRODUCT - 100 PPM) DOES NOT MEET THE REQUIRED (MATERIAL) EXPECTATION.

PERKINS&WILL'S TRANSPARENCY INITIATIVE

REQUIRED ALIGNMENT

ALIGNED

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

IDENTIFIED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

MINIMUM THRESHOLD (REQUIRED)

PASS

THE RECORD VALUE (PRODUCT - 100 PPM) MEETS OR EXCEEDS THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.

SCREENED (REQUIRED)

PASS

THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

GREEN SEAL'S GS-11 STANDARD FOR PAINTS, COATINGS, STAINS, AND SEALERS

REQUIRED ALIGNMENT

NOT APPLICABLE

PRECHECK CRITERIA RESULTS

CHARACTERIZED (REQUIRED)
PASS
THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

CLASSIFICATION (REQUIRED)
N/A
THIS PRECHECK DOES NOT APPLY TO THIS RECORD BECAUSE THE CSI MASTERFORMAT NUMBER ASSOCIATED WITH IT FALLS OUTSIDE THE SCOPE OF THE REQUIREMENTS FOR THIS PRECHECK.

IDENTIFIED (REQUIRED)
PASS
THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

MINIMUM THRESHOLD (REQUIRED)
PASS
THE RECORD VALUE (PRODUCT - 100 PPM) MEETS OR EXCEEDS THE REQUIRED (PRODUCT - 100 PPM) EXPECTATION.

SCREENED (REQUIRED)
PASS
THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.

BORA’S CHEMICALS OF CONCERN

REQUIRED ALIGNMENT ALIGNED	PREFERRED ALIGNMENT ALIGNED
PRECHECK CRITERIA RESULTS	
CHARACTERIZED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	CHARACTERIZED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.
IDENTIFIED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.	
MINIMUM THRESHOLD (REQUIRED) PASS THE RECORD VALUE (PRODUCT - 100 PPM) MEETS OR EXCEEDS THE REQUIRED (PRODUCT - 1,000 PPM) EXPECTATION.	MINIMUM THRESHOLD (PREFERRED) PASS THE RECORD VALUE (PRODUCT - 100 PPM) MEETS OR EXCEEDS THE PREFERRED (PRODUCT - 100 PPM) EXPECTATION.
SCREENED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	SCREENED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.

RESET

REQUIRED ALIGNMENT ALIGNED	PREFERRED ALIGNMENT ALIGNED
PRECHECK CRITERIA RESULTS	
CHARACTERIZED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	CHARACTERIZED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.
MINIMUM THRESHOLD (PREFERRED) PASS THE RECORD VALUE (PRODUCT - 100 PPM) MEETS OR EXCEEDS THE PREFERRED (PRODUCT - 100 PPM) EXPECTATION.	
SCREENED (REQUIRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE REQUIRED (YES) EXPECTATION.	SCREENED (PREFERRED) PASS THE RECORD VALUE (YES) MEETS OR EXCEEDS THE PREFERRED (YES) EXPECTATION.

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.