

High Performance Textiles Coated

DESIGNTEX

**Coated textiles that blend beauty and
performance for high traffic environments**

High Abrasion
Bleach Treatable
CFFA-Healthcare-201 Certified
Disinfectant Treatable
No PFAS
No Antimicrobials
No Flame Retardants
No Harmful Phthalates
Proposition 65 Compliant
Low VOC
GREENGUARD Gold Certified
HPD Accountable
LEED Building Criteria Contributor
WELL Building Criteria Contributor
Mindful Materials Compliant




HON®



Alphabet Apple
SDTXABT502



Alphabet Pistachio
SDTXABT501



Linnen Olive
SDTXLIN502




Rise Sky
SDTXRSE401




Limn Stone
SDTXLMN102




Silicone Element Alloy
SDTXSEM108



Tour Chardonnay
SDXTOU102



Rein Alloy
SDTXREN801



Tour Saddle
SDXTOU105




Rise Nickel
SDTXRSE102




Alphabet Fog
SDTXABT801




Alphabet Iron
SDTXABT802



Rein Graphite
SDTXREN803



Silicone Element Blackout
SDTXSEM809



Limn Wheat
SDTXLMN251




Rise Steel
SDTXRSE803




Linnen Charcoal
SDTXLIN805




Tour Trinket
SDXTOU120




Silicone Element Rolling Stone
SDTXSEM807




Rise Night
SDTXRSE805




Tour Fortnight
SDXTOU806




Limn Sail
SDTXLMN751




Limn Manatee
SDTXLMN152




Linnen Lake
SDTXLIN402



Linnen Salt Water
SDTXLIN404




Limn Hosta
SDTXLMN702




Alphabet Cobalt
SDTXABT405



Alphabet Stream
SDTXABT406




Current Aqua
SDTXCRT401




Silicone Element Slate
SDTXSEM406




Current Navy
SDTXCRT403




Linnen Geyser
SDTXLIN401




Rise True Blue
SDTXRSE404




Linnen Stellar
SDTXLIN405



Alphabet Mediterranean
SDTXABT401




Alphabet Indigo
SDTXABT409




Tour Pilot
SDXTOU401




Rise Pool
SDTXRSE403




Linnen Oceania
SDTXLIN406




Rein Dive
SDTXREN403




Silicone Element Azure
SDTXSEM404



Silicone Element Amazon
SDTXSEM411



Tour Voyage
SDXTOU408




Current Mist
SDTXCRT801




Rise Cloud
SDTXRSE802



Linnen Rice Paper
SDTXLIN101



Current Seashell
SDTXCRT101




Linnen Seraph
SDTXLIN802




Linnen Fresco
SDTXLIN801




Alphabet Mica
SDTXABT803




Tour Treasure
SDXTTOU110




Silicone Element Skyscraper
SDTXSEM104



Rein Grain
SDTXREN102




Rein Sable
SDTXREN103



Rein Pebble
SDTXREN802



Tour Bronze
SDXTTOU114




Rein Sable
SDTXREN103



Linnen Stone
SDTXLIN804



Silicone Element Cumin
SDTXSEM705




Rein Clay
SDTXREN701




Rise Gunmetal
SDTXRSE804




Rein Camel
SDTXREN201



Alphabet Habanero
SDTXABT703



Limn Mango
SDTXLMN501



Limn Grapefruit
SDTXLMN401

High Performance Textiles – Coated

Style Name	Content	Finish	Cleaning Code	Width	Repeat	Abrasion	Denim Dye Resistant	Ink Resistant
Alphabet	100% Vinyl (without Harmful Phthalates)	Advanced Protective Topcoat	WS Bleach (10:1)	54 inches (137 cm)	None	1,000,000 Wyzenbeek double rubs	•	•
Current	100% Vinyl (without Harmful Phthalates)	Advanced Protective Topcoat	WS Bleach (10:1)	54 inches (137 cm)	V 6" x H 6.75"	100,000 Wyzenbeek double rubs		•
Limn	100% Polyurethane (Polycarbonate Based)	Advanced Protective Topcoat	WS Bleach (10:1)	54 inches (137 cm)	None	300,000 Wyzenbeek double rubs	•	•
Linnen	100% Polyurethane (Polycarbonate Based)	Advanced Protective Topcoat	WS Bleach (4:1)	54 inches (137 cm)	None	500,000 Wyzenbeek double rubs	•	•
Rein	100% Vinyl (without Harmful Phthalates)	Advanced Protective Topcoat	WS Bleach (10:1)	54 inches (137 cm)	None	1,000,000 Wyzenbeek double rubs	•	•
Rise	100% Vinyl (without Harmful Phthalates)	Advanced Protective Topcoat	WS Bleach (10:1)	54 inches (137 cm)	None	250,000 Wyzenbeek double rubs	•	
Silicone Element	100% Silicone	None	WS Bleach (4:1)	55 inches (140 cm)	None	200,000 Wyzenbeek double rubs	•	•
Tour	100% Vinyl (without Harmful Phthalates)	Advanced Protective Topcoat	WS Bleach (10:1)	54 inches (137 cm)	None	100,000 Wyzenbeek double rubs	•	

Meets or exceeds these ACT® performance standards:



Additional colorways available
For samples please call 800.221.1540

Advanced Protective Topcoat

Advanced Protective Topcoat is a PFAS-free, stain-resistant high-performance topcoat intended for all environments, including extreme-condition installations such as hospitality, healthcare, and education. This topcoat provides easier maintenance for the coated upholstery.

Cleaning Codes

Bleach Treatable with a 4:1 or 10:1 water-to-bleach dilution for the lifetime of the product.

WS Clean only with water-based or solvent-based cleaner. Do not saturate.

For regular maintenance of coated fabrics, always rinse the cleaned and/or disinfected area(s) with fresh water. Wipe dry and repeat if necessary.

Bleach and Disinfectant Testing

All products have been tested with bleach (sodium hypochlorite) and/or a variety of disinfectants (alcohol, hydrogen peroxide, quaternary ammonium). Scan the QR code below for specific test results.

Flammability

All textiles comply with California TB 117-2013.

Abrasion

Abrasion has been tested with the Wyzenbeek method using either cotton duck (CD) or wire screen (WS) as the abradant, or the Martindale method using worsted wool as the abradant. ACT guidelines require at least 30,000 Wyzenbeek double rubs or 40,000 Martindale cycles for woven upholsteries, or 50,000 Wyzenbeek double rubs for coated upholsteries in heavy duty single-shift application. Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.



The HON Company
Muscatine, Iowa 52761
800.833.3964
hon.com

©2025 The HON Company. Form No. H6093
HON is a registered trademark of HNI Technologies,
under the license to The HON company.

Learn more

